

Pools

Required information for pool drawings:

- _____ Electrical schematic
- _____ 48" Clearance from ground to top of pool, ground to top of fence when fence is connected to pool, or ground to top of fence.
- _____ Fence- spacing cannot exceed 4" between pool top and bottom of pool fence when attached to pools top edge. Vertical spacing not to exceed 4".
- _____ Fence around pool-
 - 48" minimum height
 - 2" spacing between ground and fence bottom
 - 1 3/4" maximum spacing between pickets when horizontal members holding pickets are less than 45"
 - 4" maximum spacing between pickets when horizontal members holding pickets are greater than 45".
 - 1 1/4" spacing for chain link fences
 - 1 3/4" spacing for lattice type fences
- _____ Gates and enclosures- 48" barrier around ladder's or stairs
 - self closing
 - self latching
 - gate swings outwards away from pool area
 - 3 ft. landing if gate is at top of stairs
 - gate at bottom of stairs
 - release mechanism of self latching device to be 54"
 - vertical spacing 4" o.c.
 - when release mechanism is less than 54", latch to be on pool side 3" below top of fence, vertical spacing not to be greater than 1/2" within 18" of latching device all directions
- _____ Plot plan of lot showing the location of all structures and proposed new structures.
- _____ Side profiles of proposed structures and existing structures